

rev. Feb. 06, 2023

PUBLIC WORKS & MOBILITY DEPARTMENT — STORMWATER

1345 W. Broadway • Missoula, Montana 59802 • (406) 552-6379

Stormwater Site Evaluation Form

This form is used for the Construction Site Inspection Frequency Determination and is completed by the applicant/owner.

| Date: | |
|---|--|
| Project Name: | Permit No.: |
| Address: | Zip Code: |
| | Disturbance Area (acres): |
| Applicant/Owner Representative: | Phone number: |
| Owner Name: | Phone Number: |
| Owner Address: | |
| In compliance with the Clean Water Act or | ad the National Pollutant Discharge and Elimination Custom |

In compliance with the Clean Water Act and the National Pollutant Discharge and Elimination System permit program—administered by the Montana Department of Environmental Quality as authorized by the U.S. Environmental Protection Agency—the City of Missoula must inspect construction sites based upon their priority ranking.

If your site is in a subdivision that has been approved per current standards, then it is automatically LOW priority and you do not need to complete the worksheet on page 2. If you are unsure, then contact the Engineering Desk at (406)552-6636 or engpermitdesk@ci.missoula.mt.us.

Site Priority Determination

Check the appropriate Project Priority box based on the worksheet total on page 2.

| Score | Priority | Inspection Frequency | Project Priority |
|----------|----------|--|-------------------------|
| 6 to 11 | Low | Once at commencement of construction after BMPs have been implemented | |
| 12 to 30 | Medium | Once at commencement of construction after BMPs have been implemented | |
| | | Once at the conclusion of the project prior to finalization | |
| 31 to 67 | High | Once at commencement of construction after BMPs have been implemented | |
| | | 2. Once within 48 hours, after one rain event of 0.25 inches or greater | |
| | | 3. Once within 48 hours, after runoff from snowmelt due to thawing conditions that cause visible surface erosion at the project site | |
| | | 4. Once at the conclusion of the project prior to finalization | |

MISSOULA

PUBLIC WORKS & MOBILITY DEPARTMENT — STORMWATER

1345 W. Broadway • Missoula, Montana 59802 • (406) 552-6379

rev. Aug. 10, 2022

Site Priority Ranking Worksheet

| Criteria | Rating System | Rating Value | Site Rating | |
|--|---|--------------|----------------|--|
| | Subdivision with 5 or more units | 7 | _ | |
| Duning at the sa | TED with 5 or more units | 7 | | |
| Project type | Commercial site ≥ 0.5 acres | 7 | | |
| | None of the above | 0 | | |
| | ≥ 1,500 feet | 1 | | |
| Proximity to surface water | 200 to 1,499 feet | 5 | | |
| | < 200 feet | 7 | | |
| | Discharge to waterbody | 10 | | |
| Donath to groundwester | > 20 feet | 1 | | |
| Depth to groundwater | ≤ 20 feet | 10 | | |
| Discharge to an impaired waterbody | No (dry well/groundwater, Butler Creek, LaValle Creek, Pattee Creek, or Rattlesnake Creek) | 1 | | |
| | Yes (Bitterroot River, Clark Fork River, Grant Creek, or Miller Creek) | 10 | | |
| | Slopes < 20:1 (H:V) Slopes < 5% | 1 | | |
| Maximum proposed slope | 20:1 ≤ Slopes < 10:1 (H:V) 5% ≤ Slopes < 10% | 5 | | |
| | Slopes ≥10:1 (H:V) Slopes ≥ 10% | 10 | | |
| History of non-compliance | No history of non-compliance | 1 | | |
| (applicant and/or owner) | 1 time non-compliant | 5 | | |
| (applicant una) or owner) | 2+ times non-compliant | 10 | | |
| | No hazardous materials stored on site | 1 | | |
| Risk of hazardous material spills/leaks | Non-liquid hazardous materials stored on site | 5 | | |
| | Liquid hazardous materials stored on site | 10 | | |
| Total Score | | | | |
| 6 to 11 = Low 12 to 30 = Medium 31 to 67 | | High | | |

Permittees found to be habitually non-compliant may be subject to one or more disciplinary actions: compliance through the Missoula Valley Water Quality District Enforcement Response Plan; increased inspection frequency; formal Notice of Violation (NOV), including stop work order; fine(s); and/or suspension/revocation of City Business License.