

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

SECTION A - PROPERTY INFORMATION

Building Owner's Name	Seth and Hope Capon	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Lot 30, Juneau Ct.		Policy Number
City Missoula State MT ZIP Code 59804		Company NAIC Number

A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)

A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential

A5. Latitude/Longitude: Lat. 46.8704 Long. -114.0470

Horizontal Datum: NAD 1927 NAD 1983

A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.

A7. Building Diagram Number 9

A8. For a building with a crawlspace or enclosure(s):

a) Square footage of crawlspace or enclosure(s)	<u>864</u>	sq ft
b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade	—	—
c) Total net area of flood openings in A8.b	—	sq in
d) Engineered flood openings? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	—	—

A9. For a building with an attached garage:

a) Square footage of attached garage	<u>512</u>	sq ft
b) No. of permanent flood openings in the attached garage within 1.0 foot above adjacent grade	—	—
c) Total net area of flood openings in A9.b	—	sq in
d) Engineered flood openings? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	—	—

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP Community Name & Community Number City of Missoula 300049		B2. County Name Missoula		B3. State MT	
B4. Map/Panel Number 30063C1460	B5. Suffix D	B6. FIRM Index Date 8/16/1988	B7. FIRM Panel Effective/Revised Date 8/16/1988	B8. Flood Zone(s) NA	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 3147.0

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.

FIS Profile FIRM Community Determined Other (Describe) _____

B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) _____

B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No
Designation Date _____ CBRS OPA

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction
*A new Elevation Certificate will be required when construction of the building is complete.

C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h below according to the building diagram specified in Item A7. Use the same datum as the BFE.

Benchmark Utilized WGM TBMA Vertical Datum NAVD88

Conversion/Comments _____

a) Top of bottom floor (including basement, crawlspace, or enclosure floor)	<u>3147.5</u>	Check the measurement used. <input checked="" type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
b) Top of the next higher floor	<u>3152.5</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
c) Bottom of the lowest horizontal structural member (V Zones only)	—	<input type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
d) Attached garage (top of slab)	<u>3150.7</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)	<u>3150.7</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
f) Lowest adjacent (finished) grade next to building (LAG)	—	<input type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
g) Highest adjacent (finished) grade next to building (HAG)	—	<input type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support	—	<input type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Check here if comments are provided on back of form. Were latitude and longitude in Section A provided by a licensed land surveyor? Yes No

Surveyor's Name Dan M. Ignatov

License Number 17477LS

Professional land Surveyor

Company Name WGM Group

Address 3021 Palmer

City Missoula


State MT

ZIP Code 59808

Signature Dan M. Ignatov

Date 5/22/2009

Telephone 406-273-4611



IMPORTANT: In these spaces, copy the corresponding information from Section A.Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.
Lot 30 Juneau Ct

For Insurance Company Use:

Policy Number

City Missoula State MT ZIP Code 59804

Company NAIC Number

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments See attached letter

Rn 56

Signature

Date 5/22/2009

 Check here if attachments**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).

a) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ feet meters above or below the HAG.
 b) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ feet meters above or below the LAG.

E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is _____ feet meters above or below the HAG.E3. Attached garage (top of slab) is _____ feet meters above or below the HAG.E4. Top of platform of machinery and/or equipment servicing the building is _____ feet meters above or below the HAG.E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G.**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. *The statements in Sections A, B, and E are correct to the best of my knowledge.*

Property Owner's or Owner's Authorized Representative's Name

Address	City	State	ZIP Code
Signature	Date	Telephone	
Comments			

 Check here if attachments**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8 and G9.

G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.G3. The following information (Items G4-G9) is provided for community floodplain management purposes.

G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate Of Compliance/Occupancy Issued
-------------------	------------------------	---

G7. This permit has been issued for: New Construction Substantial ImprovementG8. Elevation of as-built lowest floor (including basement) of the building: _____ feet meters (PR) Datum _____G9. BFE or (in Zone AO) depth of flooding at the building site: _____ feet meters (PR) Datum _____G10. Community's design flood elevation: _____ feet meters (PR) Datum _____

Local Official's Name	Title
-----------------------	-------

Community Name	Telephone
----------------	-----------

Signature	Date
-----------	------

Comments

 Check here if attachments

Building Photographs

See Instructions for Item A6.

		For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.		Policy Number
City	State	ZIP Code
Company NAIC Number		
<p>If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the reverse.</p>		


Building Photographs

Continuation Page

For Insurance Company Use:

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Policy Number
City State ZIP Code	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."



Pre-Construction Elevation Certificate
Lot 30, Maple Brook Estates Subdivision
Section D – Attachment

This certificate, FEMA Form 81-31 is being completed as a condition of subdivision approval imposed by the City of Missoula on the Maple Brook Estates subdivision. The condition requires "(t)he developer or individual lot owners shall include pre-construction elevation certificates at the time of Zoning Compliance Permit submittal documenting the lowest floor and utility elevations with post-construction elevation certificates submitted upon building completion. Fill for building sites shall be compacted to 95% proctor as certified by a geotechnical engineer." Further, the City of Missoula mandated that "(t)he lowest floor elevation, including basements, mechanical equipment, and ductwork shall be a minimum of 2' above base flood elevation. "

The 100-year flood elevation on the adjacent Clark Fork River area is interpolated to be 3147.0, based on a NAVD 1988 datum. Todd Klietz, Floodplain Administrator in Missoula City-County Office of Planning and Grants, designated the base flood elevation (BFE) across the Maple Brook Estates subdivision to be at this elevation in an e-mail dated October 24, 2005. Structural fill has been placed on the north half of the Maple Brook Estates site, raising the future home sites 0.5' above the BFE. Topsoil was removed, and structural fill was hauled to the site over a period of days and placed in 8-inch lifts and rolled with a smooth, single drum, vibratory compactor (Ingersoll Rand SD-100). Compaction tests were conducted by GMT Consultants, Inc. to establish that structural fill compaction met 95 percent of AASHTO T-99 proctor density.

This is a pre-construction elevation certificate and based on the supplied plan set finished floor elevation will be set at 3152.5', which is 3.5 feet above the minimum required. The crawl space will be at an elevation of approximately 3147.5 (existing structural fill finish grade), which is 0.5 feet above the minimum required. The garage floor will be constructed to elevation of 3150.7', which is greater than the minimum required. The water heater and furnace will be sited in the garage, at a minimum elevation of 3149.0', as required by the subdivision conditions (garage slab at 3150.7').

When constructed to the elevations stated above (or a higher elevation) the structure will meet the condition imposed by the subdivision approval.

Dan Ignatov P.L.S.